



# ON TIME

## METERED INSECTICIDE

### DESCRIPTION

ON TIME can be used only in commercial food service and preparation areas of milk houses, hospitals, hotels, motels, factories, stores, ships, clubs, restaurants and schools. This blend of natural pyrethrin, piperonyl butoxide and MGK® 264 is classified F-1 by the USDA and is effective on flies, mosquitoes and gnats. One can will treat up to 6,000 cubic feet of air space for 30 days, 24 hours a day.

### APPLICATIONS

Great where flies, gnats and mosquitoes are an annoyance, in food service and food preparation areas of restaurants and food processing plants, stores, farms, dairies, barns, kennels, schools, factories, hotels, motels, offices, aircraft cargo hold areas, supermarkets, warehouses, bottling plants, hospitals, and day care centers. Controls flies, gnats, and mosquitos.

### FEATURES & BENEFITS

- Effective formula controls flies, mosquitos, and gnats
- Fits most universal dispensers
- Long lasting aerosol dispenses 3,000 metered sprays for approximately 30 days of coverage
- Automatically dispenses, eliminating waste and misuse
- USDA authorized as a pesticide for use in all areas of federally inspected meat and poultry plants

### SPECIFICATIONS

FORM: Solvent Based Aerosol  
 ODOR: Solvent  
 COLOR: Clear  
 DETERGENCY: N/A  
 TOXICITY: 400 ppm OSHA TLV  
 WETTING ABILITY: N/A  
 STORAGE STABILITY: 1 Year +  
 COLD STABILITY: 32°F  
 PHOSPHATES: None

FLASH POINT: >185°F TCC  
 FLAME EXTENSION: <18"  
 SOLUBILITY IN WATER: 0%  
 SPECIFIC GRAVITY: 0.80  
 % VOLATILE BY VOLUME: 100%  
 EVAPORATION RATE: Slow  
 PROPELLANT: Hydrocarbon  
 pH: N/A  
 BIODEGRADABILITY: No

ACTIVE INGREDIENTS:  
 Pyrethrins .....0.90%  
 Piperonyl butoxide .....1.80%  
 \*N-Octyl bicycloheptene dicarboximide .....3.00%  
 \*\*OTHER INGREDIENTS:.....94.30%  
 TOTAL .....100.00%  
 \*MGK® 264, Insecticide Synergist  
 \*\*Contains Isoparaffinic Hydrocarbon, Propane/n-Butane  
 PYROCIDE, MGK® - Registered trademarks of McLaughlin Gormley King Co.

### LABEL INFORMATION

#### ON TIME METERED INSECTICIDE

FIRST AID
<b>If on Skin or Clothing:</b> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
<b>If Swallowed:</b> Call a poison control center or doctor immediately for treatment advice. Do not give <b>any</b> liquid to the person. Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give anything by mouth to an unconscious person.
<b>If Inhaled:</b> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
<b>If in Eyes:</b> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
<b>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Call 1-800-255-3924 for emergency medical treatment information.</b>
<b>NOTE TO PHYSICIAN:</b> Contains petroleum distillate – vomiting may cause aspiration pneumonia.

shirts and full length pants and chemical resistant gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Do not breathe vapors or spray mist.

**User Safety Requirements:**  
 Follow manufacturer’s instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product’s concentrate. Do not reuse them.

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Mixers, loaders, applicators, and other handlers must wear long sleeved shirt, long pants and shoes and socks, and chemical resistant gloves.

**User Safety Recommendations:**  
 Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/ PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into (put on) clean clothing.

#### PHYSICAL OR CHEMICAL HAZARDS:

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long sleeved

### **DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### **Use Restrictions**

Do not use in aircraft cabins.

When used in dairy barns of facilities: Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.

Not for use in Residential areas.

Do not use in nurseries or rooms where infants, the ill or aged persons are confined.

Do not place metering device directly over or within 8 feet of exposed food, dishes, utensils, food processing equipment, and food handling or preparation.

Do not install within three feet of air vents.

Carefully follow directions for the dispenser unit when installing the dispenser and replacing cans or conducting maintenance.

The maximum application rate for metered release devices is 0.00046 lb pyrethrin per 1000 cubic feet.

In commercial food handling facilities, cover or remove exposed food. Do not install directly above or within 12 feet of any food handling or food serving area. All food processing surfaces must be covered during treatment or thoroughly washed with an effective

cleaning compound followed by a potable water rinse before using. Cover or remove fish bowls and aquariums when in use.

**TO INSTALL:** Do not install directly above or within 12 feet of any food handling or food dispensing area. Install at a distance of seven (7) feet from the floor and where air currents will carry spray throughout room. One unit will treat up to 6,000 cubic feet of air space (a room 30 x 20 x 10) for 30 days, 24 hours a day.

**TO OPERATE:** Remove protective cap and place can in dispenser. Turn on dispenser. The automatic dispenser will dispense 100 mg. of insecticide every 15 minutes. Its effectiveness will be noticeable one hour after activation.

#### **STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in a cool, dry place. Keep container closed. **PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Do Not Puncture or Incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

HMIS RATING: HEALTH-2, FLAMMABILITY-2, REACTIVITY-0, PERSONAL-A.

EPA Reg. No. 44446-56 EPA Est. No. 44446-TX-1

Made in USA

### **PACKAGING INFORMATION**

12-12 oz cans per case, 6.5 oz net weight