



SAFETY DATA SHEET

Classified in accordance 29 CFR 1910.1200

1. Identification

Product identifier: METAL PARTS PROTECTOR - SW-367

Other means of identification

SDS number: RE1000044558

Recommended restrictions

Recommended use: Coating

Restrictions on use: Not known.

Manufacturer Information

Manufacturer

Company Name: Sprayway, Inc.
Address: 1000 INTEGRAM DR.
Pacific, MO 63069
US
Telephone: 1-630-628-3000

Emergency telephone number: 1-866-836-8855

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable liquids Category 2

Health Hazards

Specific Target Organ Toxicity - Repeated Exposure Category 1

Aspiration Hazard Category 1

Environmental Hazards

Acute hazards to the aquatic environment Category 3

Label Elements

Hazard Symbol:



Signal Word: Danger

Hazard Statement: Highly flammable liquid and vapor.
Causes damage to organs through prolonged or repeated exposure.
May be fatal if swallowed and enters airways.
Harmful to aquatic life.



Precautionary Statements

- Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof [electrical/ventilating/lighting] equipment. Use non-sparking tools. Take action to prevent static discharges. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment.
- Response:** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF SWALLOWED: Immediately call a POISON CENTER/doctor Do NOT induce vomiting. Get medical advice/attention if you feel unwell. In case of fire: Use... to extinguish.
- Storage:** Store in a well-ventilated place. Keep cool. Store locked up.
- Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC): None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Stoddard solvent	8052-41-3	20 - <50%
Naphtha (petroleum), light alkylate	64741-66-8	10 - <25%
Distillates (petroleum), hydrotreated heavy paraffinic <3% DMSO	64742-54-7	1 - <5%
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	1 - <5%
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	1 - <5%
Distillates (petroleum), solvent-dewaxed light paraffinic	64742-56-9	1 - <5%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The exact concentration has been withheld as a trade secret.

4. First-aid measures

Description of necessary first-aid measures

- Inhalation:** Move to fresh air.
- Skin Contact:** Get medical attention if symptoms occur. Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- Eye contact:** Rinse immediately with plenty of water.
- Ingestion:** Call a physician or poison control center immediately. Rinse mouth. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.



Personal Protection for First-aid Responders: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Get medical attention if symptoms occur.

5. Fire-fighting measures

General Fire Hazards: Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical: Vapors may travel considerable distance to a source of ignition and flash back. Vapors may cause a flash fire or ignite explosively. Prevent buildup of vapors or gases to explosive concentrations.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

Accidental release measures: Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk.

Methods and material for containment and cleaning up: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. In case of leakage, eliminate all ignition sources. Dike far ahead of larger spill for later recovery and disposal.

Environmental Precautions: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer.



7. Handling and storage

Handling

Technical measures (e.g. Local and general ventilation): No data available.

Safe handling advice: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground and bond container and receiving equipment. Take precautionary measures against static discharges.

Contact avoidance measures: No data available.

Storage

Safe storage conditions: Store locked up. Store in a well-ventilated place. Store in a cool place.

Safe packaging materials: No data available.

Storage Temperature: No data available.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
Stoddard solvent	TWA	100 ppm 525 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	100 ppm	US. ACGIH Threshold Limit Values, as amended
	REL	350 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	Ceil_Time	1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL	500 ppm 2,900 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
Distillates (petroleum), hydrotreated heavy paraffinic <3% DMSO - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values, as amended
Distillates (petroleum), hydrotreated heavy paraffinic <3% DMSO - Mist.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	STEL	10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Distillates (petroleum), solvent-dewaxed heavy paraffinic	TWA	400 ppm 1,600 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	PEL	500 ppm 2,000 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
Distillates (petroleum), solvent-dewaxed heavy paraffinic - Mist.	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	STEL	10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	5 mg/m3	US. ACGIH Threshold Limit Values, as amended
Distillates (petroleum), solvent-dewaxed heavy paraffinic	Ceil_Time	1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	REL	350 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended



Distillates (petroleum), hydrotreated light paraffinic - Mist.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	STEL	10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Distillates (petroleum), hydrotreated light paraffinic - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values, as amended
Distillates (petroleum), solvent-dewaxed light paraffinic - Mist.	STEL	10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Distillates (petroleum), solvent-dewaxed light paraffinic - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values, as amended

Appropriate Engineering Controls No data available.

Individual protection measures, such as personal protective equipment

Eye/face protection: Wear goggles/face shield.

Skin Protection

Hand Protection: No data available.

Skin and Body Protection: No data available.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.

Hygiene measures: When using do not smoke. Observe good industrial hygiene practices.

9. Physical and chemical properties

Appearance

- Physical state:** liquid
- Form:** liquid
- Color:** No data available.
- Odor:** No data available.
- Odor Threshold:** No data available.
- pH:** No data available.
- Freezing point:** No data available.
- Boiling Point:** Estimated > 150 °C
- Flash Point:** Estimated 7.2 °C
- Evaporation Rate:** No data available.
- Flammability (solid, gas):** No data available.
- Explosive limit - upper (%):** No data available.
- Explosive limit - lower (%):** No data available.
- Vapor pressure:** No data available.
- Vapor density (air=1):** No data available.
- Density:** No data available.



Relative density:	No data available.
Solubility in Water:	No data available.
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Self Ignition Temperature:	No data available.
Decomposition Temperature:	No data available.
Kinematic viscosity:	No data available.
Dynamic viscosity:	No data available.
Explosive properties:	No data available.
Oxidizing properties:	No data available.

10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	No data available.
Conditions to avoid:	Heat, sparks, flames.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	No data available.

11. Toxicological information

Information on likely routes of exposure

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral	
Product:	Not classified for acute toxicity based on available data.
Dermal	
Product:	ATEmix: 23,197.74 mg/kg
Inhalation	
Product:	Not classified for acute toxicity based on available data.



Repeated dose toxicity

Product: No data available.

Components:

Naphtha (petroleum), light alkylate	NOAEL (Mouse, Rat(Female, Male), Inhalation, 107 - 113 Weeks): 1,402 mg/m ³ Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Dermal, 5 - 28 d): 3,750 mg/kg Dermal Experimental result, Key study
Distillates (petroleum), hydrotreated heavy paraffinic <3% DMSO	NOAEL (Rat(Female, Male), Inhalation): > 980 mg/m ³ Inhalation Experimental result, Key study LOAEL (Mouse(Male), Dermal, 24 Months): 100 mg/kg Dermal Experimental result, Key study NOAEL (Rat(Female, Male), Dermal, 13 Weeks): >= 2,000 mg/kg Dermal Experimental result, Key study
Distillates (petroleum), solvent-dewaxed heavy paraffinic	NOAEL (Rat, Inhalation): 500 mg/m ³ Inhalation Experimental result, Supporting study NOAEL : 100 mg/m ³ Inhalation Read-across from supporting substance (structural analogue or surrogate), Supporting study NOAEL : 5 mg/m ³ Inhalation Read-across from supporting substance (structural analogue or surrogate), Supporting study NOAEL (Rat, Inhalation): > 1,500 mg/m ³ Inhalation Experimental result, Supporting study NOAEL (Rabbit(Female, Male), Dermal, 6 h): 1,000 mg/kg Dermal Experimental result, Supporting study
Distillates (petroleum), hydrotreated light paraffinic	NOAEL (Rabbit(Female, Male), Dermal): 1,000 mg/kg Dermal Experimental result, Key study
Distillates (petroleum), solvent-dewaxed light paraffinic	NOAEL (Rat(Female, Male), Inhalation): > 980 mg/m ³ Inhalation Experimental result, Key study LOAEL (Rat(Male), Oral, 13 Weeks): 125 mg/kg Oral Read-across from supporting substance (structural analogue or surrogate), Key study NOAEL (Rat(Female, Male), Dermal, 13 Weeks): >= 2,000 mg/kg Dermal Experimental result, Key study

Skin Corrosion/Irritation

Product: No data available.

Components:

Naphtha (petroleum), light alkylate	In vitro (Human): not corrosive
Distillates (petroleum), hydrotreated heavy paraffinic <3% DMSO	in vivo (Rabbit): Not irritant
Distillates (petroleum), solvent-dewaxed heavy paraffinic	in vivo (Rabbit): Not irritant
Distillates (petroleum), hydrotreated light paraffinic	in vivo (Rabbit): Not irritant
Distillates (petroleum), solvent-dewaxed light paraffinic	in vivo (Rabbit): Not irritant

Serious Eye Damage/Eye Irritation

Product: No data available.

Components:

Naphtha (petroleum), light alkylate	Rabbit, 24 - 72 hrs: Not irritating
-------------------------------------	-------------------------------------



Distillates (petroleum),
hydrotreated heavy
paraffinic <3% DMSO Rabbit, 48 hrs: Not irritating

Distillates (petroleum),
solvent-dewaxed heavy
paraffinic Rabbit, 48 hrs: Not irritating

Distillates (petroleum),
hydrotreated light
paraffinic Rabbit, 48 hrs: Not irritating

Distillates (petroleum),
solvent-dewaxed light
paraffinic Rabbit, 48 hrs: Not irritating

Respiratory or Skin Sensitization

Product: No data available.

Components:

Naphtha (petroleum),
light alkylate Skin sensitization:, in vivo (Guinea pig): Non sensitising

Distillates (petroleum),
hydrotreated heavy
paraffinic <3% DMSO Skin sensitization:, in vivo (Guinea pig): Non sensitising

Distillates (petroleum),
solvent-dewaxed heavy
paraffinic Skin sensitization:, in vivo (Guinea pig): Non sensitising

Distillates (petroleum),
hydrotreated light
paraffinic Skin sensitization:, in vivo (Guinea pig): Non sensitising

Distillates (petroleum),
solvent-dewaxed light
paraffinic Skin sensitization:, in vivo (Guinea pig): Non sensitising

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.



Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Components:
Stoddard solvent Nervous System - Category 1

Aspiration Hazard

Product: No data available.

Components:
Stoddard solvent May be fatal if swallowed and enters airways.
Naphtha (petroleum), May be fatal if swallowed and enters airways.
light alkylate

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Components:
Naphtha (petroleum), LL 50 (Oncorhynchus mykiss, 96 h): 10 mg/l Experimental result, Key study
light alkylate

Distillates (petroleum), LL 50 (Pimephales promelas, 96 h): > 100 mg/l Experimental result, Key
hydrotreated heavy study
paraffinic <3% DMSO

Distillates (petroleum), LL 50 (Pimephales promelas, 96 h): > 100 mg/l Experimental result, Key
solvent-dewaxed heavy study
paraffinic

Distillates (petroleum), LL 50 (Pimephales promelas, 96 h): > 100 mg/l Experimental result, Key
hydrotreated light study
paraffinic

Distillates (petroleum), LL 50 (Pimephales promelas, 96 h): > 100 mg/l Experimental result, Key
solvent-dewaxed light study
paraffinic

Aquatic Invertebrates

Product: No data available.

Components:
Naphtha (petroleum), EC 50 (Daphnia magna, 48 h): 4.5 mg/l Experimental result, Key study
light alkylate

Distillates (petroleum), EC 50 (Daphnia magna, 48 h): > 10,000 mg/l Experimental result, Key study
hydrotreated heavy study
paraffinic <3% DMSO

Distillates (petroleum), EC 50 (Daphnia magna, 48 h): > 10,000 mg/l Experimental result, Key study
solvent-dewaxed heavy study
paraffinic

Distillates (petroleum), EC 50 (Daphnia magna, 48 h): > 10,000 mg/l Experimental result, Key study
hydrotreated light study
paraffinic

Distillates (petroleum), EC 50 (Daphnia magna, 48 h): > 10,000 mg/l Experimental result, Key study
solvent-dewaxed light study
paraffinic



Chronic hazards to the aquatic environment:

Fish

Product:	No data available.
Components: Distillates (petroleum), hydrotreated heavy paraffinic <3% DMSO	NOAEL (Oncorhynchus mykiss): >= 1,000 mg/l QSAR QSAR, Supporting study
Distillates (petroleum), solvent-dewaxed heavy paraffinic	NOAEL (Oncorhynchus mykiss): >= 1,000 mg/l QSAR QSAR, Supporting study
Distillates (petroleum), solvent-dewaxed light paraffinic	NOAEL (Oncorhynchus mykiss): >= 1,000 mg/l QSAR QSAR, Supporting study

Aquatic Invertebrates

Product:	No data available.
Components: Naphtha (petroleum), light alkylate	NOAEL (Daphnia magna): 2.6 mg/l Experimental result, Key study
Distillates (petroleum), hydrotreated heavy paraffinic <3% DMSO	NOAEL (Daphnia magna): >= 1,000 mg/l Experimental result, Supporting study
Distillates (petroleum), solvent-dewaxed heavy paraffinic	EC 50 (Daphnia magna): > 1,000 mg/l Experimental result, Supporting study
Distillates (petroleum), solvent-dewaxed light paraffinic	NOAEL (Daphnia magna): 10 mg/l Experimental result, Key study

Toxicity to Aquatic Plants

Product:	No data available.
-----------------	--------------------

Persistence and Degradability

Biodegradation

Product:	No data available.
Components: Naphtha (petroleum), light alkylate	90.35 % (28 d) Detected in water. Experimental result, Supporting study
Distillates (petroleum), hydrotreated heavy paraffinic <3% DMSO	2 - 8 % (28 d) Detected in water. Experimental result, Supporting study 31 % (28 d) Detected in water. Experimental result, Supporting study
Distillates (petroleum), solvent-dewaxed heavy paraffinic	31 % (28 d) Detected in water. Read-across based on grouping of substances (category approach), Supporting study 2 - 8 % (28 d) Detected in water. Experimental result, Supporting study
Distillates (petroleum), hydrotreated light paraffinic	31 % (28 d) Detected in water. Experimental result, Supporting study
Distillates (petroleum), solvent-dewaxed light paraffinic	31 % (28 d) Detected in water. Experimental result, Supporting study 2 - 8 % (28 d) Detected in water. Experimental result, Supporting study

BOD/COD Ratio

Product:	No data available.
-----------------	--------------------



Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Components:

Naphtha (petroleum), light alkylate Bioconcentration Factor (BCF): 10 - 2,500 Aquatic sediment Estimated by calculation, Key study

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil:

No data available.

Components:

Stoddard solvent	No data available.
Naphtha (petroleum), light alkylate	No data available.
Distillates (petroleum), hydrotreated heavy paraffinic <3% DMSO	No data available.
Distillates (petroleum), solvent-dewaxed heavy paraffinic	No data available.
Distillates (petroleum), hydrotreated light paraffinic	No data available.
Distillates (petroleum), solvent-dewaxed light paraffinic	No data available.

Other adverse effects:

Harmful to aquatic organisms.

13. Disposal considerations

Disposal instructions:

Discharge, treatment, or disposal may be subject to national, state, or local laws.

Contaminated Packaging:

No data available.

14. Transport information

DOT

UN Number:	UN 1993
UN Proper Shipping Name:	Flammable liquids, n.o.s. (Naphtha (petroleum), light alkylate)
Transport Hazard Class(es):	
Class:	3
Label(s):	—
EmS No.:	
Packing Group:	II
Special precautions for user:	Not regulated.

IATA

UN Number:	UN 1993
UN Proper Shipping Name:	Flammable liquids, n.o.s. (Naphtha (petroleum), light alkylate)
Transport Hazard Class(es):	
Class:	3
Label(s):	—
Packing Group:	II
Special precautions for user:	Not regulated.
Other information	
Passenger and cargo aircraft:	Forbidden.
Cargo aircraft only:	Forbidden.

IMDG

UN Number:	UN 1993
UN Proper Shipping Name:	Flammable liquids, n.o.s. (Naphtha (petroleum), light alkylate)
Transport Hazard Class(es):	
Class:	3
Label(s):	—
EmS No.:	
Packing Group:	II
Special precautions for user:	Not regulated.



15. Regulatory information

US Federal Regulations

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended
None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):
None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Flammable (gases, aerosols, liquids, or solids), Specific target organ toxicity (single or repeated exposure), Aspiration Hazard

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

None present or none present in regulated quantities.

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

US State Regulations

US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Stoddard solvent

Distillates (petroleum), hydrotreated heavy paraffinic <3% DMSO

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Distillates (petroleum), hydrotreated light paraffinic

Distillates (petroleum), solvent-dewaxed light paraffinic

US. Massachusetts RTK - Substance List

Chemical Identity

Distillates (petroleum), hydrotreated light paraffinic

Distillates (petroleum), solvent-dewaxed light paraffinic

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Stoddard solvent

Distillates (petroleum), hydrotreated heavy paraffinic <3% DMSO

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Distillates (petroleum), hydrotreated light paraffinic

Distillates (petroleum), solvent-dewaxed light paraffinic

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.



International regulations

Montreal protocol
Not applicable

Stockholm convention
Not applicable

Rotterdam convention
Not applicable

Kyoto protocol
Not applicable

Inventory Status:

Australia AICS	On or in compliance with the inventory
Canada DSL Inventory List	On or in compliance with the inventory
Canada NDSL Inventory	Not in compliance with the inventory.
Ontario Inventory	On or in compliance with the inventory
China Inv. Existing Chemical Substances	On or in compliance with the inventory
Japan (ENCS) List	Not in compliance with the inventory.
Japan ISHL Listing	Not in compliance with the inventory.
Japan Pharmacopoeia Listing	Not in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI)	On or in compliance with the inventory
Mexico INSQ	Not in compliance with the inventory.
New Zealand Inventory of Chemicals	On or in compliance with the inventory
Philippines PICCS	On or in compliance with the inventory
Taiwan Chemical Substance Inventory	On or in compliance with the inventory
US TSCA Inventory	On or in compliance with the inventory
EINECS, ELINCS or NLP	Not in compliance with the inventory.

16. Other information, including date of preparation or last revision

Issue Date: 11/18/2020

Revision Information: No data available.

Version #: 1.0

Further Information: No data available.

Disclaimer: This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.